

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S23	7842	358/1.9,1.6,501,520,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:20
S24	1394	345/590,591,601-604,606,610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:20
S25	10	((input\$5 or receiv\$5) with (narrow) with gamut) and ((input\$5 or receiv\$5) with (wid\$3) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:40
S26	15	((input\$5 or receiv\$5) with (narrow or srgb) with gamut) and ((input\$5 or receiv\$5) with (wid\$3) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:42
S27	17	((input\$5 or receiv\$5) with (narrow\$3 or srgb) with gamut) and ((input\$5 or receiv\$5) with (wid\$3) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:42
S28	22	((input\$5 or receiv\$5) with (small\$3 or narrow\$3 or srgb) with gamut) and ((input\$5 or receiv\$5) with (big\$5 or wid\$3 or xrgb) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/28 08:56
S29	3	S28 and ((determin\$5 or calculat\$5 or judg\$5 or find\$5) with (overlap\$5 or intersect\$5) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:45
S30	6	((small\$3 or narrow\$3) with gamut) with interpolat\$5 with ((big\$5 or wid\$3 or xrgb) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 13:58
S31	2	("5309257" "5510910").PN. OR ("6765586").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 14:01
S32	206	((input\$5 or receiv\$5) with (first or small\$3 or narrow\$3 or srgb) with gamut) and ((input\$5 or receiv\$5) with (second or big\$5 or wid\$3 or xrgb) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:13
S33	25	S32 and ((second or first) near5 (small\$3 or narrow\$3 or larg\$3 or wid\$3) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:18
S34	7	((first) near5 (small\$3 or narrow\$3) near5 gamut) and ((second) near5 (larg\$3 or wid\$3) near5 gamut) or ((second) near5 (small\$3 or narrow\$3) near5 gamut) and ((first) near5 (larg\$3 or wid\$3) near5 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:28
S35	1055	((first) near5 (small\$3 or narrow\$3) near5 (range or gamut)) and ((second) near5 (larg\$3 or wid\$3) near5 (range or gamut)) or ((second) near5 (small\$3 or narrow\$3) near5 (range or gamut)) and ((first) near5 (larg\$3 or wid\$3) near5 (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:42

EAST Search History

S36	11	S35 and (S23 or S24)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:30
S37	5	S36 and (gamut with (map\$5 or transform\$5 or conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:36
S38	9	S35 and (gamut with (map\$5 or transform\$5 or conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:41
S39	131	(interpolat\$5 with gamut with (map\$5 or transform\$5 or conver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 15:52
S40	50	S39 and ((small\$3 or narrow\$3) near5 (range or gamut)) and ((larg\$3 or wid\$3) near5 (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 14:43
S41	20	S40 and ((gamut or range) near5 (overlap\$5 or intersect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 15:19
S44	5	(gamut near5 (expan\$5) with (wide\$3 adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 15:55
S45	18	(interpolat\$5 with (gamut near2 (map\$5 or transform\$5 or conver\$5) near2 point))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 15:55
S46	8	(gamut near5 (expan\$5 or increas\$5) with (narrow near2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:01
S47	3	S46 and (interpolat\$5 with (gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:03
S48	1	(gamut near5 (expan\$5 or increas\$5)) and menberu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:02
S49	178	(gamut near5 (expan\$5 or increas\$5)) and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:02
S50	0	(gamut near5 (expan\$5 or increas\$5)) and 358/1.9clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:03

EAST Search History

S51	122	(gamut near5 (expan\$5 or increas\$5)) and 358/1.9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:02
S52	1073	(gamut near5 (expan\$5 or increas\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:12
S53	64	S52 and (interpolat\$5 with (gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:05
S54	24	(plural\$5 near4 (input\$5 near3 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:06
S55	16	(plural\$5 near4 (input\$5 near3 gamut)) and (print\$5 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:06
S56	3	S55 and (interpolat\$5 near4 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:13
S57	126	(gamut near5 (expan\$5 or increas\$5 or exten\$6)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:46
S58	1	(gamut near5 (expan\$5 or increas\$5 or exten\$6)).clm. and menberu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:12
S59	9	S57 and (interpolat\$5 near4 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:13
S60	30	(gamut near5 (expan\$5 or increas\$5 or exten\$6) with srgb)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:47
S61	5	(gamut near5 (expan\$5 or increas\$5 or exten\$6) with srgb) same (print\$5 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:48
S62	12	(gamut near5 (expan\$5 or increas\$5 or exten\$6) with (srgb or s-rgb or narrow)) same (print\$5 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 16:49
S63	26	((input\$5 or receiv\$5) with (first) near2 gamut) and ((input\$5 or receiv\$5) with (second) near2 gamut) and ((input\$5 or receiv\$5) with (third or printer or printing) near2 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:01

EAST Search History

S64	4	S63 and (interpolat\$5 with first with second with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:12
S65	60	((input\$5 or receiv\$5) with (first or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long) near2 gamut) and ((input\$5 or receiv\$5) with (second or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long) near2 gamut) and ((input\$5 or receiv\$5) with (third or printer or printing) near2 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:06
S66	8	S65 and ((determin\$5 or judg\$5 or check\$5 or discriminat\$5) with (overlap\$5 or intersect\$5 or meet\$5 or coincid\$5) with gamut with (first or second or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:08
S67	61	((first or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long) near2 gamut) and ((input\$5 or receiv\$5) with (second or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long) near2 gamut) and ((input\$5 or receiv\$5) with (third or printer or printing) near2 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:07
S68	12574	((first or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long) near2 (range or gamut)) and ((second or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long) near2 (range or gamut)) and ((third or printer or printing) near2 (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:18
S69	128	S68 and ((determin\$5 or judg\$5 or check\$5 or discriminat\$5) with (overlap\$5 or intersect\$5 or meet\$5 or coincid\$5) with (range or gamut) with (first or second or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:20
S70	15	S69 and (interpolat\$5 with (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:21
S71	12	S70 and (color\$5 with (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:22
S72	14618	((first or second or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long or broad\$5 or expansive or expanded or extensive) near2 (range or gamut)) and ((third or printer or printing) near2 (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:37
S74	139	S72 and ((determin\$5 or judg\$5 or check\$5 or discriminat\$5) with (overlap\$5 or intersect\$5 or meet\$5 or coincid\$5) with (range or gamut) with (first or second or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long or broad\$5 or expansive or expanded or extensive))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:41
S75	16	S74 and (interpolat\$5 with (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:30
S76	13	S75 and (color\$5 same (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:51
S78	9	S74 and (interpolat\$5 with point with (first or second or narrow\$3 or small or medium or large\$3 or big\$3 or wid\$3 or long or broad\$5 or expansive or expanded or extensive) near2 (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:31

EAST Search History

S79	6	S78 and (color\$5 same (gamut or range))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:31
S80	2400	((narrow\$3 or small or medium or fine or limited or restricted) near2 (range or gamut)) and ((large\$3 or big\$3 or wid\$3 or long or broad\$5 or expansive or expanded or extensive) near2 (range or gamut)) and ((third or printer or printing) near2 (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:40
S81	4	S80 and ((determin\$5 or judg\$5 or check\$5 or discriminat\$5) with (overlap\$5 or intersect\$5 or meet\$5 or coincid\$5) with (narrow\$3 or small or medium or fine or limited or restricted) with (large\$3 or big\$3 or wid\$3 or long or broad\$5 or expansive or expanded or extensive) with (range or gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:43
S82	5	"2003001860".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:51
S83	2	"20030001860".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:53
S84	0	"20030001860".pn. and wide	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:53
S85	0	"20030001860".pn. and broad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:53
S86	1	"20030001860".pn. and (plural\$5 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/01 09:53
S87	187	gamut with srgb	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:02
S88	90	(gamut with srgb) same (gamut with print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:05
S89	12	(gamut with srgb) same (gamut with print\$5) same ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:13
S90	1	"6765586".pn. and 21e2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:12
S91	1	"6765586".pn. and (interpolat\$5 with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:12

EAST Search History

S92	8	((gamut with srgb) same ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((gamut with (wid\$3 or broad\$5 or large\$5 or big\$5)) same (CIELAB or YCC or (Adobe adj2 RGB) or bgRGB or scRGB or e-sRGB or ROMM or ntsc or xrgb or x-rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:16
S93	8	((gamut with (srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) same ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((gamut with (wid\$3 or broad\$5 or large\$5 or big\$5)) same (CIELAB or YCC or (Adobe adj2 RGB) or bgRGB or scRGB or e-sRGB or ROMM or ntsc or xrgb or x-rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:17
S94	9	((gamut same (srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) same ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((gamut with (wid\$3 or broad\$5 or large\$5 or big\$5)) same (CIELAB or YCC or (Adobe adj2 RGB) or bgRGB or scRGB or e-sRGB or ROMM or ntsc or xrgb or x-rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:24
S95	10	((gamut same (srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) same ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((gamut with (wid\$3 or broad\$5 or large\$5 or big\$5)) same (CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:28
S96	33	((gamut same (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) same ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((gamut with (wid\$3 or broad\$5 or large\$5 or big\$5)) same (CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:31
S97	3	S96 and (interpolat\$5 with gamut) and (print\$3 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:30
S98	3	S96 and (interpolat\$5 same gamut) and (print\$3 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:33
S99	48	((gamut same (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((gamut with (wid\$3 or broad\$5 or large\$5 or big\$5)) same (CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:32
S10 0	106	((gamut same (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((gamut with (wid\$3 or broad\$5 or large\$5 or big\$5)) and (gamut with (CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:40
S10 1	33	S100 and (interpolat\$5 same gamut) and (print\$3 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:34
S10 2	4	S100 and (interpolat\$5 same (gamut near5 (surface or boundary) with print\$5)) and (print\$3 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:35

EAST Search History

S10 3	4	S100 and (interpolat\$5 same (gamut near5 (edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:38
S10 4	2	S100 and (interpolat\$5 same (gamut near5 (edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:42
S10 5	417	((gamut with (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and (gamut with (wid\$3 or broad\$5 or large\$5 or big\$5 or CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 17:23
S10 6	4	S105 and (interpolat\$5 same (gamut near5 (edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 17:29
S10 7	2	S105 and (interpolat\$5 same ((narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) same ((wid\$3 or broad\$5 or large\$5 or big\$5 or CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb)) same (gamut near5 (edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:53
S10 8	2	S105 and (interpolat\$5 with (gamut near5 (edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 16:54
S10 9	2	S105 and (interpolat\$5 with ((edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:28
S11 0	2	(jay near3 gondek).in. and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 17:09
S11 1	2	"103965".ap. and yamazaki	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 17:09
S11 2	436	((gamut with (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and (gamut with (wid\$3 or broad\$5 or large\$5 or big\$5 or extend\$5 or CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:21
S11 3	4	S112 and (interpolat\$5 same (gamut near5 (edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/06 17:30
S11 4	2577	358/523,518.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:20

EAST Search History

S11 5	2717	382/162,167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:20
S11 6	7856	358/1.9,1.6,501,520,525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:20
S11 7	1398	345/590,591,601-604,606,610.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:20
S11 8	175	(S114 or S115 or S116 or S117) and ((gamut with (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and (gamut with (wid\$3 or broad\$5 or large\$5 or big\$5 or extend\$5 or CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:36
S12 0	51	(S114 or S115 or S116 or S117) and ((gamut with (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut with (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and (gamut with (wid\$3 or broad\$5 or large\$5 or big\$5 or extend\$5 or CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:27
S12 1	1	S120 and (interpolat\$5 with ((edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:38
S12 2	8	S120 and (interpolat\$5 with ((edge or surface or boundary))) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:51
S12 3	76	(S114 or S115 or S116 or S117) and (((input\$5 or application or source or imag\$5) with gamut with (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((input\$5 or application or source or imag\$5) with gamut with (wid\$3 or broad\$5 or large\$5 or big\$5 or extend\$5 or CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:40
S12 4	1	S123 and (interpolat\$5 with ((edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common) with (area or region or location or point or range) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:42
S12 5	152	((input\$5 or application or source or imag\$5) with gamut with (narrow\$3 or small\$5 or limited or srgb or s-rgb or (s adj2 rgb) or (standard adj2 rgb))) and ((expan\$7 or scal\$5 or improv\$5 or enlarg\$5 or stretch\$5 or broad\$5 or amplif\$7) near5 gamut)) and ((input\$5 or application or source or imag\$5) with gamut with (wid\$3 or broad\$5 or large\$5 or big\$5 or extend\$5 or CIELAB or YCC or (Adobe adj2 RGB) or (bgRGB or bg\$2rgb) or (scRGB or sc\$2RGB) or (esRGB or e\$2sRGB) or ROMM or ntsc or xrgb or x\$2rgb))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:40

EAST Search History

S12 6	1	S125 and (interpolat\$5 with ((edge or surface or boundary) with print\$5)) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common) with (area or region or location or point or range) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:43
S12 7	1	S120 and (interpolat\$5 with gamut with print\$5 with ((edge or surface or boundary))) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 16:50
S12 8	1	S120 and (interpolat\$5 with gamut with print\$5 with ((edge or surface or boundary))) and (print\$3 near3 gamut) and ((overlap\$5 or intersect\$5 or common or union) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:13
S12 9	1	"632858".ap. and gondek	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/07 17:13

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	127	((wide or large or big) adj2 gamut near4 ((output\$5) or printer or printing or reproduction or reproducing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:29
S4	9	S3 and ((input\$5 or image or monitor or application) near5 ((narrow or small or medium or minimal) adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:29
S5	127	((wide or large or big) adj2 gamut near4 ((output\$5) or destination or printer or printing or reproduction or reproducing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:35
S6	9	S5 and ((input\$5 or image or monitor or application or source) near5 ((narrow or small or medium or minimal) adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:36
S7	7	S6 and ((input\$5 or image or monitor or application or source) near5 ((wide or large or big) adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:37
S8	239	((wide\$3 or large\$3 or big\$3 or broad\$5) adj2 gamut near4 ((output\$5) or destination or printer or printing or reproduction or reproducing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:36
S11	30	S8 and ((input\$5 or image or monitor or application or source) near5 ((narrow\$3 or small\$3 or medium or minimal) adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:25
S12	28	S11 and ((input\$5 or image or monitor or application or source) near5 ((broad\$3 or wide\$3 or large\$3 or big\$3) adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:39
S13	14	S12 and (plural\$5 near3 (input\$5 or image or monitor or application or source))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:54
S14	8	S12 and (plural\$5 near3 (input\$5 or image or monitor or application or source) near4 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:56
S15	12	S8 and (plural\$5 near3 (input\$5 or image or monitor or application or source) near4 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 10:56
S16	12	S15 and ((consistent\$5 or "same" or similar\$5 or vary or variation or vary\$5 or varies or constant\$5) near4 (output\$5 or print\$5 or appear\$5 or color or saturation or chrom\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:07
S17	0	"20030001860".pn. and ((large or medium or small) adj2 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:08

EAST Search History

S18	2	"20030001860".pn. and ((large or medium or small) same gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:08
S19	2	"20030001860".pn. and ((large or medium or small) with gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:08
S20	1	"20030001860".pn. and ((large or medium or small) near3 gamut)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:08
S21	1	S8 and ((combin\$5) near5 ((narrow\$3 or small\$3 or medium or minimal) adj2 gamut) with ((broad\$3 or wide\$3 or large\$3 or big\$3) adj2 gamut))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 11:26